

## WHAT IS CLAIMED IS:

1. A type of medium or low frequency electro-stimulated  
massaging shoes comprising:  
a pair of controllers each for generating a pulsed high voltage,  
5 said pulsed high voltage being guided to a plurality of primary  
conductive buttons of each of said controllers, which then  
form an output terminal thereon; and  
a pair of shoe bodies having a plurality of conductive strips  
deployed on an upper and a lower inner walls thereof, said  
10 conductive strips each having a first end connected with a  
secondary conductive button and a second end connected with  
a set of conductive plates, said secondary conductive buttons  
of each of said shoe bodies being clustered on a  
pre-determined location of a shoe upper surface of each of said  
15 shoe bodies, said secondary conductive buttons of each of said  
shoe bodies capable of being coupled with said primary  
conductive buttons on said controller so that each of said shoe  
bodies is mounted on with a controller, conductive plates of  
each of said shoe bodies being in contact with a foot housed  
20 therein;  
said controllers charging the whole or a selective members of  
said conductive plates to exert a medium or low frequency  
electro-stimulated massage to foot portions said charged  
conductive plates applied to.
- 25 2. The medium or low frequency electro-stimulated massaging  
shoes of Claim 1, wherein said controllers are each provided

with a plurality of control buttons for respectively selecting current up/down, operation time and power on/off.

3. The medium or low frequency electro-stimulated massaging shoes of Claim 1, wherein said controllers are each provided  
5 with an LCD panel for displaying operational status.
4. The medium or low frequency electro-stimulated massaging shoes of Claim 1, wherein said controllers are each provided with a step switch for selecting members of said conductive plates to charge.
- 10 5. The medium or low frequency electro-stimulated massaging shoes of Claim 1, wherein said conductive plates are forced to contact with acupuncture points of feet housed in said shoe bodies.
6. The medium or low frequency electro-stimulated massaging  
15 shoes of Claim 1, wherein said controllers are provided with a connection port for connecting a peripheral device through a wire.
7. The medium or low frequency electro-stimulated massaging shoes of Claim 1, wherein one of said shoe bodies is selected  
20 to install a connection socket to which said conductive strips converge.
8. The medium or low frequency electro-stimulated massaging shoes of Claim 7, wherein said shoe body is provided with a step switch.
- 25 9. The medium or low frequency electro-stimulated massaging shoes of Claim 1, wherein said conductive strips are made of electrically conductive cloths.

10. The medium or low frequency electro-stimulated massaging shoes of Claim 1, wherein said shoe upper surfaces of said shoe bodies are each composed of an upper insulating cloth and a lower insulating cloth, between which said conductive strips are enclosed.
11. The medium or low frequency electro-stimulated massaging shoes of Claim 1, wherein said conductive buttons at the first end of said conductive strips are each composed of a female piece and a male piece, rivet-connected on two sides of one said conductive strip; said conductive buttons are not covered by said insulating cloths on said shoe upper surfaces.
12. The medium or low frequency electro-stimulated massaging shoes of Claim 1, wherein a bottom inner surface of each of shoe bodies becomes an integral conductive area and is covered with an insulating shoe pad; said insulating shoe pads each comprise a plurality of holes for at least one conductive pin to be inserted into.
13. The medium or low frequency electro-stimulated massaging shoes of Claim 12, wherein said insulating shoe pads are detachably or substantially attached onto said bottom inner walls of said shoe bodies.
14. The medium or low frequency electro-stimulated massaging shoes of Claim 12, wherein said conductive pins are made of conductive materials, each composed of an upper contact portion and lower insertion portion.
15. The medium or low frequency electro-stimulated massaging shoes of Claim 14, wherein a pull ring is pivotally connected

with said contact portion.

16. The medium or low frequency electro-stimulated massaging shoes of Claim 14, wherein said conductive pins are each provided with an enlarged head, and, correspondingly, said  
5 holes on said insulating shoe pads are each provided with a shrunk opening on a bottom side thereof.